APPENDIX D PUBLIC HEALTH UNIT FACT SHEETS



HEAD LICE

Don't be alarmed. Anyone can get head lice no matter how clean and careful they are. If your child has head lice, there is no cause for alarm or embarrassment-head lice are a nuisance, but do not transmit disease, nor do they indicate poor hygiene or lack of cleanliness.

What to look for:

These tiny, flat insects have no wings, cannot jump or fly, but crawl very quickly. Head lice live and breed on the scalp. They are only 1-2 mm long, grayish-brown in colour, and hard to see. Adult female lice produce many nits which may be easier to find than the actual bug.

Nits are very tiny eggs, half the size of a pinhead, oval in shape and gray to brown in colour. After the eggs hatch, the nits casing are left behind and these are white in colour. Nits look like dandruff but they are firmly glued to the hair and can't be flicked off. Inspect several hairs in different areas along the ears and hairline. Nits can hatch 7-10 days after being laid.

In most cases, the first sign of a problem is itching and scratching of the scalp, particularly around the ears and the back of the head. Sometimes there are no symptoms at all. Because other scalp conditions also cause itching, the best way to check for lice is to look for nits. Act quickly if you find them.

How lice are spread:

Head lice are spread by direct head-to-head contact. Heat produced by the body is required for head lice to survive and their eggs to hatch. Lice cannot survive away from the body for more than 48 hours.

Treat lice and nits:

- Read the product label very carefully.
- Timing is important. If the product is rinsed off too soon, lice and nits may not be killed. If left on too long, you're causing unneeded exposure to the lice-killing chemicals.
- Rinsing a child's hair under the tap (instead of a shower) will limit skin exposure and prevent the child from swallowing some of the product.
- These products should not be used near the eyes, nose or mouth. A towel held tightly over the eyes protects them during treatment.
- When treating another person, wear plastic or rubber gloves to avoid unnecessary exposure to the product.

About the product(s):

All products are toxic and do not prevent head lice or nits. Used for treatment purposes only.

Obtain a head lice shampoo, cream rinse or lotion from your drugstore. You don't need a prescription. Ask your pharmacist if you have any questions. (Head lice products do not prevent lice. Use them only when lice or nits are present).

If you are pregnant or breastfeeding and need treatment for lice, before choosing a product consult your physician or telephone the Motherisk Program at the Hospital for Sick Children in Toronto at (416) 813-6780. If you are treating other people, wear plastic or rubber gloves.

CONSULT YOUR DOCTOR BEFORE CHOOSING A PRODUCT:

- For children under age 2.
- For persons with seizure disorder.
- For persons who are pregnant or breastfeeding.
- If lice are discovered on eyebrows, eyelashes, or beard.
- · If the skin of the scalp is broken or infected.
- If the person being treated has allergies to product ingredients.

When choosing a product, read the list of contents and the directions very carefully. Don't use a product if the person being treated is allergic to any of the ingredients. In Ontario, the most common head lice products contain pyrethrins and permethrin.

- **Pyrethrins** (e.g. R & C shampoo/conditioner) should not be used for anyone with a known allergy to ragweed, chrysanthemums, pyrethin or synthetic pyrethroids.
- Permethrin (e.g. NIX Creme Rinse) should not be used for persons with a known allergy to chrysanthemums, synthetic pyrethriods, or pyrethrins. Do not use on children under age 2 unless directed by a physician.
- **Isopropyl myristate** 50% (Resultz) is an alternative treatment for use in individuals four years and older.
- Suffocants (oil based products) this is an alternative treatment based on a
 recommendation by the Hospital for Sick Children in Toronto. It can be used when two
 treatments with the above products are not effective, but not at the same time as the
 above products. Call Algoma Public Health for more details or see recipe on our website
 www.algomapublichealth.com.
- Sometimes head lice resist one product. If live lice are found 24 hours after the first treatment, try another product and follow instructions on the product label. If lice infestation persists, consult your doctor.
- · Store unused head lice products away from the reach of young children.
- · Wash your hands well, immediately after using a head lice product.
- Treatment usually does not kill all nits. Removing the nits after treatment in bright, natural light makes it easier to see any new infestations.
- Usually a second treatment in 7-10 days is needed to kill any newly-hatched lice before
 they can lay eggs or transfer to a new head. Follow the directions on the product label or
 check with a pharmacist.
- Comb the hair to remove snarls, then take hold of a lock of hair. Use your thumbnail

A/1;onIII PUBLIC HEALTH Sante publ!que Algoma

Head Lice Position

It is the position of Algoma Public Health that Head lice (Pediculosis) are a common nuisance experienced by families and individuals within our community. Head lice is no longer a funded mandatory program. However, the agency believes that it is necessary to continue to advocate and educate individuals in the treatment and control of head lice.

POLICY:

Algoma Public Health supports the education of the community regarding head lice in the following ways:

Algoma Public Health accepts phone calls from concerned citizens and provides education from the following resources:

- Head Lice Fact Sheet
- · Algoma Public Health Website
- Refer to Telehealth Ontario

Algoma Public Health staff can provide information on the following:

- · What to look for
- · How lice are spread
- · Treatment options for lice and nits/alternative treatments
- · Define close contacts
- · Cleaning of personal items
- · Recommendations for school/daycares

For More Information Contact Your Local Public Health Unit at:

Algoma Public Health Unit 1-866-892-0172 www.algomapublichealth.com

Sault Ste. Marie: 1-705-942-4646
Blind River: 1-888-356-2551
Elliot Lake: 1-888-211-6749
Wawa 1-888-211-807 4
White River 1-866-892-0172

Sudbury District Health Unit 1-866-522-9200 www.sdhu.com

Espanola/Massey 1-705-222-9202
Chapleau 1-705-860-9200

Porcupine Health Unit 1-800-461-1818 www.porcupinehu.on.ca

Hornepayne 1-807-868-2091